


**Scenario # 309: A CLEC orders 10 SL1 unbundled analog loops from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 10 SL1 unbundled analog loops from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	
Directory Listing	X

**Scenario # 310: A CLEC orders 30 SL1 unbundled analog loops from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 30 SL1 unbundled analog loops from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 311: A CLEC orders 10 SL2 unbundled analog loops from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 10 SL2 unbundled analog loops from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 312: A CLEC orders 30 SL2 unbundled analog loops from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 30 SL2 unbundled analog loops from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	X
Directory Listing	X

***Scenario # 313: A CLEC orders a change on 10 SL2 unbundled analog loops in response to a CLEC customer complaint.***

**Scenario Description:**

A CLEC orders a change on 10 SL1 unbundled analog loops in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	C
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 314: A CLEC orders a change on 30 SL1 unbundled analog loops in response to a CLEC customer complaint.**

**Scenario Description:**

A CLEC orders a change on 30 SL1 unbundled analog loops in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	C
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	
Directory Listing	

**Scenario # 315: A CLEC orders a change on 10 SL2 unbundled analog loops in response to a CLEC customer complaint.**

**Scenario Description:**

A CLEC orders a change on 10 SL2 unbundled analog loops in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	C
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 316: A CLEC orders a change on 30 SL2 unbundled analog loops in response to a CLEC customer complaint.**

**Scenario Description:**

A CLEC orders a change on 30 SL2 unbundled analog loops in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	A
ACT TYPE	C
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	
Directory Listing	




# Test Scenario -

**Scenario # 317:** An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on all 10 of its customer's SL1 unbundled analog loops from BST.

## Scenario Description:

An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on all 10 of its customer's SL1 unbundled analog loops from BST.

## Network Configuration:



## Scenario Summary:

REQTYPE	A
ACT TYPE	M
Partial Migration	
Flow-Through	X

## Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

## Test Case Requirements:

Supplement	
Errors	X
Cancel	X
Directory Listing	X


## Test Scenario -

**Scenario # 318:** An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on all 10 of its customer's SL2 unbundled analog loops from BST.

### Scenario Description:

An existing CLEC customer moves from the 3rd to the 5th floor. The CLEC orders an inside move on all 10 of its customer's SL2 unbundled analog loops from BST.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	M
Partial Migration	
Flow-Through	X

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	
Errors	X
Cancel	X
Directory Listing	X


## Test Scenario - UNE

**Scenario # 319:** An existing CLEC customer moves across town. The CLEC orders an outside move on all 10 of its customer's SL1 unbundled analog loops from BST.

### Scenario Description:

An existing CLEC customer moves across town. The CLEC orders an outside move on all 10 of its customer's SL1 unbundled analog loops from BST.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	T
Partial Migration	
Flow-Through	X

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	X


## Test Scenario -

**Scenario # 320:** An existing CLEC customer moves across town. The CLEC orders an outside move on all 10 of its customer's SL2 unbundled analog loops from BST.

### Scenario Description:

An existing CLEC customer moves across town. The CLEC orders an outside move on all 10 of its customer's SL2 unbundled analog loops from BST.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	T
Partial Migration	
Flow-Through	X

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	X


# Test Scenario -

**Scenario # 321: A CLEC orders a record change on 10 SL1 unbundled analog loops.**

## Scenario Description:

A CLEC orders a record change on 10 SL1 unbundled analog loops.

## Network Configuration:



## Scenario Summary:

REQTYPE	A
ACT TYPE	R
Partial Migration	
Flow-Through	X

## Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

## Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	


## Test Scenario - UNE

**Scenario # 322: A CLEC orders a record change on 10 SL2 unbundled analog loops.**

### Scenario Description:

A CLEC orders a record change on 10 SL2 unbundled analog loops.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	R
Partial Migration	
Flow-Through	X

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	
Errors	X
Cancel	X
Directory Listing	


## Test Scenario -

**Scenario # 323:** An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect all 10 of its customer's SL1 unbundled analog loops.

### Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect all 10 of its customer's SL1 unbundled analog loops.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	D
Partial Migration	
Flow-Through	

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	
Errors	X
Cancel	
Directory Listing	


## Test Scenario - UNE

**Scenario # 324:** An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect all 10 of its customer's SL2 unbundled analog loops.

### Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect all 10 of its customer's SL2 unbundled analog loops.

### Network Configuration:



### Scenario Summary:

REQTYPE	A
ACT TYPE	D
Partial Migration	
Flow-Through	X

### Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

### Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	




# Test Scenario -

**Scenario # 325: A CLEC orders 10 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.**

## Scenario Description:

A CLEC orders 10 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 14 lines, 4 of which stay with BST and 10 are migrated "as-specified" to the CLEC.

## Network Configuration:



## Scenario Summary:

REQTYPE	A
ACT TYPE	V
Partial Migration	X
Flow-Through	X

## Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

## Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	X

**Scenario # 326: A CLEC orders 10 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 10 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 327: A CLEC orders 30 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 30 SL1 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 35 lines, 5 of which stay with BST and 30 are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	X
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 328: A CLEC orders 30 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 30 SL1 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	
Directory Listing	X

**Scenario # 329: A CLEC orders 10 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 10 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 14 lines, 4 of which stay with BST and 10 are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	X
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	
Directory Listing	X

**Scenario # 330: A CLEC orders 10 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 10 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 331: A CLEC orders 30 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 30 SL2 unbundled analog loops with INP in support of a partial migration service request from an existing BST customer. The customer currently has 35 lines, 5 of which stay with BST and 30 are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	X
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 332: A CLEC orders 30 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer.**

**Scenario Description:**

A CLEC orders 30 SL2 unbundled analog loops with INP in support of a full migration service request from an existing BST customer. The customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	
Directory Listing	X




**Scenario # 333: A CLEC orders 10 SL1 unbundled analog loops with INP from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 10 SL1 unbundled analog loops with INP from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	
Errors	X
Cancel	
Directory Listing	X

**Scenario # 334: A CLEC orders 30 SL1 unbundled analog loops with INP from BST for one of its resale customers.**

**Scenario Description:**

A CLEC orders 30 SL1 unbundled analog loops with INP from BST for one of its resale customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	B
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	
Directory Listing	X